

()

EC

EC

*

(// : // :)

EC

(EC)

()

EC

/

EC

EC

(TSS)

EC

pH)

(

() **EC**

EC

TSS

:

EC pH

(Lycopersicon esculentum Mill.)

.(Hassah, 2000)

.(Ramezani et al., 2001)

.(Cetin & Uygan, 2008)

EC (/ /) EC (/ /) EC (/ /) EC

(Cornish, 1992; Hobson, 1988; Auerswald et al., 1999; Cho et al., 1997; Dorais et al., 1999)

EC / EC

EC / EC EC

(Hao & Papadopoulos, 2004)

(Li et al., 1999)

EC

(Hobson, 1988; Massey et al., 1984; Holder & Christensen, 1989; Sonneveld & Van Der Burg, 1991, Verkerke & Schols, 1992). EC (2000) Chretien & Gosselin

EC

) / /) (/ /) (/ /)

(Hao et al., 2000)

EC (2004) Hao & Papadopoulos (/ /)

...

EC

:

	ppm
Fe	/
Mo	/
B	/
Cu	/
Zn	/
Mn	/

(

)

.(

)

(

EC

EC

/ EC)

(

)

)

(

SS1

(

EC

.()

EC

/ ± /

pH

=EC)

(

-

/

EC

//

)

.(

pH

	mmol
N	/
Ca	/
K	/
Mg	/
So ₄	/
P	/
Cl	/

() / (Delshad, 2008) " "

/ Kruss

/

() pH .

/ / HANNA 211 pH

/ pH /

() (Cho, 1997)

() SAS 6.12

pH

pH

S1 /

/ pH / EC) S1

EC) S2 (

EC) S3 (

(

/ / R

E

(TSS) ()

EC	EC
/ - / / / / - / / -	
/ / / / / ()	
/ () *	EC
EC	*

... EC

EC

(Delshad, 2005; Delshad, 2008; Javanpour, 2003)

EC

EC

EC

EC

EC

EC

EC

S1 (/) TSS

S3 (/)

TSS


TSS

S1

S3

S3

S3



(Doris et al., 2001)


(1978) Gormley & Egan (1989) Adams

EC (1999) Dorais et al.

(1989) Adams .

Sato (1999) Dorais et al. (1978) Gormley & Egan

NaCl (2006) et al.



()	()	()	()	()	()	
/ n.s	/ n.s	/ ns	/ n.s	/ n.s		
/ n.s	/ n.s	/ ns	/ n.s	/ n.s		
/ n.s	/ n.s	/ ns	/ n.s	/ n.s		
**	**	**	n.s	n.s		
/ n.s	/ n.s	/ ns	/ n.s	/ n.s		×
/ n.s	/ n.s	/ ns	/ n.s	/ n.s		
/	/	/	/	/		
/	/	/	/	/		CV
	/	**	/	*	ns	■

()	()	pH	TSS	()	()	
/ n.s	/ n.s	/ n.s	/ *	/ n.s		
/ n.s	/ n.s	/ n.s	/ *	/ n.s		
/ *	/ *	/ n.s	/ n.s	/ n.s		
/ n.s	/ n.s	/ n.s	/ **	/ n.s		
/ n.s	/ n.s	/ n.s	/ n.s	/ n.s		×
/ n.s	/ n.s	/ n.s	/ n.s	/ n.s		
/	/	/	/	/		
/	/	/	/	/		CV
	/	**	/	*	ns	■

(EC= /)

NaCl

EC

(

(1979) Jugrau

EC

EC

)

... EC :

() EC EC

EC EC

EC) (

) EC

(

(TSS)

(1999) Nederhoff (1996) Van Ieperen
/) EC

EC= () EC

()

()

(2004) Hao & Papadopoulos

/ /) EC

) (

(

/ EC

EC

(1987) Bruggink et al.

REFERENCES

- Adams, P. (1989). Some responses of tomatoes grown in NFT to sodium chloride, In: Proceedins of 7th *International Congress on soilless culture, Flevoh*. ISOSC, Wageningen, The Netherlands, pp. 59- 71.
- Auerswald, H., Schwarz, D., Kornelson, C., Krumbein, A. & Bruckner, B. (1999). Sensory analysis (QDA), sugar and acid content and consumer acceptance of two types of tomato varieties hydroponically grown and affected by EC value of the nutrient solution. *Scientia Horticulturae*, 82, 227-242.
- Bruggink, G. T., Schouwink, H. E. & Coolen, E. A. J. M. (1987). Effects of different day and night osmotic pressure osmotic potentials of young tomato plants in soilless culture. *Soilless Culture*, 3, 9-19.
- Cetin, O. & Uygan, D. (2008). The effects of drip Line spacing, irrigation regims and planting geometries of tomato on yield, irrigation water use efficiency and return. *Agrcultural water management*, 95, 949- 958.

5. Cho, J.Y., Lee, B. S., Park, S. G. & Chung, S. J. (1997). Effect of NaCl in nutrient solution during seedling stage and after transplanting on the fruit quality of aeroponically grown tomato plants, *Lycopersicon esculentum* Mill., In: Proceedins of 7th ISHS Symposium on vegetable quality, Seoul, Korea, *Acta Horticulturae*, PP.240-244.
6. Chretien, S. & Gosselin, A. (2000). High EC and radation based water management improve fruit quality of greenhouse tomato grown in Rockwool. *Journal of American society for Horticultural Science*, 35 (4), 627-631.
7. Cornish, P. S. (1992). Use of high electrical conductivity of nutrient solution to improve the quality of salad tomatoes (*Lycopersicon esculentum* Mill) grown in hydroponics culture, *Australian Journal of Experimental Agriculture*, 32, 513-520.
8. Delshad, M. (2005). *The effect of NH₄/NH₄+NO₃ ratio of nutrient solutions on greenhouse tomato cultivars*. M. Sc. Thesis. University of Tehran. 101 p. (In Farsi).
9. Delshad, M. (2008). *Physiological responses of grafted and non-grafted greenhouse tomato to methods of nutrient solution delivery in hydroponic system*. Ph. D. Thesis. University of Tehran. 199 p. (In Farsi).
10. Dorais, M., Papadopoulos, A. P., Ehret, D. L., Turcotte, G. & Gosselin, A. (1999). Can tomato fruit quality and flavor be controlled by EC and water management? International Society of Horticultural Science, Hydroponics and Growing Media Symposium, Halkidiki, Greece, August 31 to September 6, p. 76.
11. Doris, M., Papadopoulos, A. P. & Gosselin, A. (2001). Greenhouse tomato fruit quality. In: J. Junick (ed). *Horticultural Review*, 26, 239- 319.
12. Gormley, T. R. & Egan, J.P. (1978). Studies on the quality of tomato fruit grown in peat and nutrient solution media. *Acta Horticulturae*, 82: 213-222.
13. Hao, X., Papadopoulos, A. P., Dorais, M., Ehret, D. L., Turcotte, G. & Gosselin, A. (2000). Improving tomato fruit quality by raising the EC of NFT nutrient solutions and foliar calcium spraying: Effects on growth, photosynthesis, yield and quality. *Acta Horticulturae*, 511, 213- 224.
14. Hao, X. & Papadopoulos, A. P. (2004). Effects of diurnal EC variations on fruit yield and quality of greenhouse tomatoes grown in rockwool. *Acta Horticulturae*, 633, ISHS.
15. Hassah, A. (2000). Hydroponics as an agriculture production system. Rirdic Publication. No. 141.
16. Hobson, G. E. (1988). Pre-and post-harvest strategies in the production of high quality tomato fruit. *Agriculture Research*, 3, 282-287.
17. Holder, R. & Christensen, M. H. (1989). The effects of electrical conductivity on the growth, yield and composition of cherry tomatoes grown on rock wool, In: Proceedings of 7th Int. Congress on Soilless Culture. ISOSC, Wageningen, Flevohof., pp. 213-228.
18. Javanpour, R. (2003). *Comparison between nutrition solutions and culture media to determinate ammonium requirement of tomato in hydroponic system*. M. Sc. Thesis. University of Tehran.100 p. (In Farsi).
19. Jugrau, M. (1979). Solar radiation and irrigation of glasshouse tomatoes. *Acta Horticulture*, 89, 57.
20. Li, J. H., Sagi, M., Gale, J., Volokita, M. & Novoplansky, A. (1999). Response of tomato plants to saline water as affected carbon dioxide supplementation. I. Growth, yield and fruit quality, *Journal of Horticultural Science Biotechnology*, 74, 232-237.
21. Massey, D. M., Hayward, A. C. & Winsor, G. W. (1984). Some responses of tomatoes to salinity in nutrient film culture, in: Annual report of the Glasshouse Crops. *Research Institute*. pp. 60-62.
22. Nederhoff, E. (1999). Effects of different day/night conductivities on blossom end rot, quality and production of greenhouse tomato. *Acta Horticulturae*, 481, 495- 502.
23. Ramezani, A., Tavallali, V. & Sadeghi Ghotbabadi, F. (2001). Greenhouse (Scienceentific and practical methods of greenhouse construction and plant care . Takhte jamshid publishing. 120 p. (In Farsi).
24. Sato, S., Sakaguchi, S., Furukawa, H. & Ikeda, H. (2006). Effects of Nacl application to hydroponic nutrient solution on fruit characteristics of tomato (*Lycopersicon esculentum* Mill). *Scientia Horticulturae*, 109, 248-253.
25. Sonneveld, C. & Van Der Burg, A. M. (1991). Sodium chloride salinity in fruit vegetable crops in soilless culture, *Neth. Journal of Agricultural Science*, 39, 115-122.
26. Van Ieperen, W. (1996). Effects of different day and night salinity levels on vegetaitive growth, yield and quality of tomato. *Journal of American society for Horticultural Science*, 71, 99-110
27. Verkerke, W. & Schols, M. (1992). The influence of EC level and specific nutrients on the firmness, taste and yield of tomato, Glasshouse. crops Research Station., Naaldwijk, p. 37.